

To: Magnuson, Matthew[Magnuson.Matthew@epa.gov]; Lindquist, Alan[Lindquist.Alan@epa.gov]
From: Allgeier, Steve
Sent: Fri 1/10/2014 5:41:40 PM
Subject: RE: Chemical Spill in WV
MSDS MCHM.PDF

We also obtained the MSDS

From: Magnuson, Matthew
Sent: Friday, January 10, 2014 12:19 PM
To: Allgeier, Steve; Lindquist, Alan
Subject: Re: Chemical Spill in WV

Steve,

I'm on BB now and out of this office. Let me get to a computer and i'll get back to you in a hour or so.

Regards,
Matthew

From: Allgeier, Steve
Sent: Friday, January 10, 2014 12:12:36 PM
To: Lindquist, Alan; Magnuson, Matthew
Subject: Chemical Spill in WV

Alan and Matthew,

As you've probably heard by now, there was a chemical spill involving 4 – methylcyclohexane methanol, which has contaminated both the source and distributed drinking water. Patti-Kay in Region 3 is looking for information about this contaminant, in particular: health effect data, fate and transport information, and treatability information. Based on a couple of hours of research thus far, I haven't come up with much. I know it's a long shot, but if you have any data or information about this contaminant, can you send it to me?

Thanks,

Steve

Steven C. Allgeier

USEPA, OW, OGWDW

Water Security Division

26 W. Martin Luther King Dr.

Cincinnati, OH 45268

Allgeier.Steve@EPA.GOV

Phone: 513-569-7131

Fax: 513-569-7191